NW Ear Institute 2230 NW Pettygrove St., Suite 120 Portland, OR 97210 (503) 444-7676

Bone Anchored Hearing Device Implantation

Postoperative Directions:

- 1. Remove the head dressing after 24 hours.
- 2. Leave the foam square and the plastic "healing cap" in place until your postoperative visit.
- 3. Try to keep the surgical area dry as best as you can.

NW Ear Institute 2230 NW Pettygrove St., Suite 120 Portland, OR 97210 (503) 444-7676

Cochlear Implantation

Postoperative Directions:

- 1. Remove the head dressing after 24 hours.
- 2. Remove the non-adhesive dressing behind and above your ear.
- 3. Try to keep the surgical area dry as best as you can.
- 4. After 48 hours, the incision site can get wet.

After Surgery:

- 1. Do no lift more than 30 lbs for 14 days
- 2. Do not fly more than 14 days.
- 3. Do not blow your nose for 30 days.
- 4. Please sneeze with your mouth open for 30 days.

NORTHWEST EAR INSTITUTE

H. HAROLD KIM, M.D.
OTOLOGY & NEUROTOLOGY
2230 NW PETTYGROVE ST., STE. 120, PORTLAND, OR 97210

Surgery: Tympanomastoidectomy

Postoperative Instructions:

- 1. Remove the head dressing after 24 hours. This includes the non-adhesive dressing behind your ear.
- 2. The cotton ball in your ear should be changed as needed. It is normal to see bloody discharge on the cotton ball.
- 3. If the cotton ball gets saturated in less than 30minutes, please call.

Afterwards:

- 1. Incision behind your ear can get wet 48 hours following your surgery.
- 2. Keep water out of your ears when bathing or showering by using a cotton ball saturated with vasoline petroleum jelly or an antibiotic ointment.
- 3. Do not lift more than 30 lbs or fly for at least 14 days following surgery.
- 4. Sneeze with your mouth open and do not blow your nose for 30 days.

NORTHWEST EAR INSTITUTE

H. HAROLD KIM, M.D.
OTOLOGY & NEUROTOLOGY

2230 NW PETTYGROVE St., Ste. 120, Portland, OR 97210

Surgery: Tympanoplasty

Postoperative Instructions:

- 1. Remove the head dressing after 24 hours. This includes the non-adhesive dressing behind your ear.
- 2. The cotton ball in your ear should be changed as needed. It is normal to see bloody discharge on the cotton ball.
- 3. If the cotton ball gets saturated in less than 30minutes, please call.

Afterwards:

- 1. Incision behind your ear can get wet 48 hours following your surgery.
- 2. Keep water out of your ears when bathing or showering by using a cotton ball saturated with vasoline petroleum jelly or an antibiotic ointment.
- 3. Do not lift more than 30 lbs or fly for at least 14 days following surgery.
- 4. Sneeze with your mouth open and do not blow your nose for 30 days.

NORTHWEST EAR INSTITUTE

H. HAROLD KIM, M.D.
OTOLOGY & NEUROTOLOGY

2230 NW PETTYGROVE ST., STE. 120, PORTLAND, OR 97210

Surgery: Stapedotomy

Postoperative Instructions:

- 1. Remove the head dressing after 24 hours. This includes the non-adhesive dressing behind your ear.
- 2. The cotton ball in your ear should be changed as needed. It is normal to see bloody discharge on the cotton ball.
- 3. If the cotton ball gets saturated in less than 30minutes, please call.

Afterwards:

- 1. Incision behind your ear can get wet 48 hours following your surgery.
- 2. Keep water out of your ears when bathing or showering by using a cotton ball saturated with vasoline petroleum jelly or an antibiotic ointment.
- 3. Do not lift more than 30 lbs or fly for at least 14 days following surgery.
- 4. Sneeze with your mouth open and do not blow your nose for 30 days.